

#### नेपाल सरकार

श्रम, रोजगारु तथा सामाजिक सुरक्षा मन्त्रालय

# श्रम तथा विभाग



मितिः२०७८। १२। १५

# उत्पादक वा अधिकृत विक्रेताद्वारा (क्याटलग सपिङ्ग) विधिवाट सवारी साधन खरिद गर्ने सम्बन्धी सूचना ।

सार्वजिनक खिरद ऐन, २०६३ को दफा द को उपदफा १(क) द, सार्वजिनक खिरद नियमावली, २०६४ को नियम ३१ख बमोजिम उत्पादक वा अधिकृत विकेताद्वारा निर्धारित दरमा (क्याटलग सिपिङ्ग) विधिबाट खिरद गर्नुपर्ने भएकोले उत्पादक कम्पनी वा सो को आधिकारिक विकेताहरूबीच मात्र प्रतिस्पर्धा गराई <u>२थान मोटरसाइकल र २ थान स्कूटर (छुट्टाछुट्टै प्याकेजमा)</u> खिरद गर्नुपर्ने भएकोले यसै सूचनासाथ अपलोड (UPLOAD) गरिएको मोटरसाइकल र स्कूटरको स्पेफिकेसन हेरी इजाजत प्राप्त इच्छुक उत्पादक / कम्पनी वा त्यसको आधिकारिक बिकेताहरूले तपिसलका कागजातहरू संलग्न गरी सूचना प्रकाशन भएको मितिले ७ (सात) दिन कार्यालय समय भित्र यस विभागमा सिलबन्दी प्रस्ताव दर्ता गर्न हुन सम्बन्धित उत्पादक वा आधिकारिक विकेताको जानकारीको लागि यो सूचना प्रकासित गरिएको छ। सिलबन्दी प्रस्ताव दर्ता गर्ने अन्तिम दिन सार्वजिनक बिदा परेमा त्यसपछि कार्यालय खुल्ने दिन सिलबन्दी प्रस्ताव दर्ता गर्न सिकने छ।

### तपसिल

- १.फर्म दर्ता प्रमाण पत्र
- २.मूल्य अभिबृद्धि कर दर्ता प्रमाण पत्र
- ३. आ.ब.०७७/७८ को करचुक्ता प्रमाण पत्र
- ४. सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ख को उपनियम २ अनुसार तोकिएको स्पेसिफिकेशन, गुणस्तर, कम्पनीको मूल्य खुल्ने कागजात र सुविधा सहितको विवरण (क्याटलग/ब्रोसर) समेत संलग्न

२०६८ (१२) भू सर्व

कारखाना

## **Technical Specifications**

### **Technical Specification of Motorcycle**

Technical Specification of Motorcycle  Quantity - 2				
S.N.	Particulars	Requirement	Bidder's Offer	
1	General	Motorcycle of sturdy design suitable for driving on rough road		
2	Engine	Four stroke, Air Cooled Petrol Engine with minimum displacement volume 149 cc developing Maximum net power not less than 14 PS at governed RPM and maximum Torque not less than 12.5 Nm		
3	Transmission Type	Minimum five speed manual gear		
4	Braking System	Front: Disc, Rear: disc or mechanical drum		
5	Frame and Suspension	Sturdy frame and suspension with telescopic shock absorber	,	
6	Ground Clearance	Not less than 164 mm	1	
	Wheelbase	Not less than 1320mm		
8	Fuel tank	Not less than 12 liters		
9	Essential Accessories	Head light, Rear and turn signal light		
		Two rear view mirror		
		Safety lock for steering		
		Safety Helmet		
10	Emission Standard	The Emission Standard of Vehicle should be capable of meeting applicable "Nepal Vehicle mass Emission standard 2056" which must be satisfied by Department of Transport Management	ı	
11	Instruction and Manual	All signs and instructions on the vehicle must be in English and a copy of Operators and Owner instructions and Maintenance manual in English must be supplied with each vehicle		
12	Tools	A set of tools required for general maintenance will be supplied with a lockable tool box for each unit.		
13	Color	Standard color		
14	Warranty and services	Manufacturer will provide a warranty of at least one (1) year and minimum 5 times free Service after delivery		
15	Delivery	The Motorcycle of 2 units shall be delivered to:  Department of Labour and Occupational Safety, Minbhawan Kathmandu		



Tech	0 /1/2 2		
			Quantity-2 Bidder's
S.N.	Particulars	Requirement	Bidder's Offer
1	General	Scooter of sturdy design suitable for driving on rough road	
2	Engine	Four stroke, air cooled single cylinder Petrol Engine with minimum displacement volume 120cc developing Maximum net power not less than 8 PS at governed RPM and maximum Torque not less than 9 Nm, for efficient running of scooter, starting system with self and kick	
3	Transmission Type	Automatic Gearless	
4	Braking System& Fuel Supply	Braking system: Front-disc &Rear - drum Fuel Injection type	
5	Frame and Suspension	Sturdy frame and telescopic suspension at front, rear hydraulic/ swing type	,
6	Ground Clearance	Not less than 145mm	,
7	wheelbase	Not less than 1235mm	
8	Fuel tank	Not less than 5 liters	
9	Essential Accessories	Head light, Rear and turn signal light Two rear view mirror Safety lock for steering Safety Helmet	
10	Emission Standard	The Emission Standard of Vehicle should be capable of meeting applicable "Nepal Vehicle Mass Emission Standard 2056" which must be satisfied by Department of Transport Management	
11	Instruction and Manual	All signs and instructions on the vehicle must be in English and a copy of Operators and Owner instructions and Maintenance manual in English must be supplied with each vehicle	
12	Tools	A set of tools required for general maintenance will be supplied with a lockable tool box for each unit.	
13	Color	Standard color	
14	Warranty and services	Manufacturer will provide a warranty of at least one (1) year and minimum 5 times free Service after delivery	
15	Delivery	The Scooter of 2 units shall be delivered to: Department of Labour and Occupational Safety	

